
Low Carbon Steel, Gr-8 Steel & 18-8 SS

NYLON INSERT FLANGE STOP



| | B Width Across Flats | | G Flange Diameter | T Thickness |
|---------|-------------------------|-------|----------------------|----------------|
| Size | | | | |
| VOLID | Max | Min | Max | Max |
| 8-32 | .343 | .333 | .468 | .245 |
| 10-24 | .375 | .365 | .500 | .275 |
| 10-32 | .375 | .365 | .500 | .264 |
| 1/4-20 | .438 | .428 | .560 | .300 |
| 1/4-28 | .438 | .428 | .560 | .300 |
| 5/16-18 | .500 | .489 | .680 | .364 |
| 5/16-24 | .500 | .489 | .680 | .364 |
| 3/8-16 | .562 | .555 | .810 | .425 |
| 3/8-24 | .562 | .555 | .810 | .425 |
| 7/16-14 | .688 | .675 | .930 | .493 |
| 7/16-20 | .688 | .675 | .930 | .493 |
| 1/2-13 | .750 | .736 | 1.070 | .554 |
| 1/2-20 | .750 | .736 | 1.070 | .554 |
| 5/8-11 | .938 | .922 | 1.330 | .690 |
| 5/8-18 | .938 | .922 | 1.330 | .690 |
| 3/4-10 | 1.125 | 1.088 | 1.585 | .825 |
| 3/4-16 | 1.125 | 1.088 | 1.585 | .825 |

| Description | Hex nut with a nylon-filled collar at its back end and an enlarged circular base flaring out from the front end of the nut. When an externaly threaded fastener reaches the collar, the threads and nylon form a tight, frictional fit as the nylon applies downward pressure that forces contact between the internal and external threads. | | | |
|------------------------------|---|--|--|--|
| Applications / Advantages | The nut may be reused up to 50 times, does tener it is used with, withstands extreme videsign allows the nut to span larger holes while providing a more uniform bear | Stainless Flange style nylon insert stop nuts are used in applications exposed to environmental corrosion. | | |
| Material | Low Carbon Steel | Grade-8 | 18-8 Stainless | |
| | AISI 1008 - 1035 steel | AISI C 1137 or equivalent steel | Class 50 18-8 Stainless | |
| Proof Load | 90,000 psi. | 150,000 psi. | 72,500 psi. | |
| Hardness | Rockwell C 28 maximum | Rockwell C 26 - 34 | - | |
| Plating | Standard finish is clear zinc. | Standard finish is yellow zinc. | Parts are typically provided without secondary finish. | |